

Manufacturer And Exporter Of Premium Quality Rubberised PVC Paver Moulds



About Us



Why Choose US?

The unique selling point of our products is their quality. We provide customers with the best technologies at the minimum costs without compromising with the quality and reliability.



Best Quality

Being a quality conscious organization since the time of our establishment . we have installed a quality testing facility that is equipped with all necessary inspection tools.



Our Vision

Our vision is to develop quality pvc moulds and machineries that play pivotal role In the development of the society.



Long Life

Our professionals ensure that these products are in compliance we are 100% virgin raw material in our products.



Quality Control

Land mark polymers ensures that only the best quality products are made into products for our customers.

Years of research and development has resulted in products engineered to suit your every demand.

Concrete pavers made with PVC moulds have good fit and finish overall. PVC moulds for paver block manufactured by landmark polymers are a premium quality offering.

Difference Between Landmark Moulds And Other Types Of Moulds

SR.NO.	SUBJECT OF COMPARISON	LANDMARK MOULDS	REGULAR PVC MOULDS	RUBBER MOULDS
1	Life cycle	High	Poor	Good
2	Shining & Flexibility	Superb	Less	High
3	Density	Less	High	High
4	Black Carbon Markon on Pavers	Not Possible	Not Possible	Possible
5	Daily Cleaning	Not Required	Required	Required Acid Wash
6	Acid Resistance	Excellence	Average	Average
7	Remoulding Facility	Available	Available	Not Available

PRODUCTS

Zigzag / Unipaver Group



LP - 01A



LP - 01B



LP - 01C



LP - 01D



LP - 01E

100 sq.ft = 288 pcs
Height = 40/60/80/100 mm

Cosmic



LP - 02A



LP - 02B



LP - 02C



LP - 02D



LP - 02E

100 sq.ft = 185 pcs
Height = 60/80 mm

Colorado



LP - 03A



LP - 03B



LP - 03C

100 sq.ft = 224 pcs
Height = 60/80 mm

I Shape / Dumbel



LP - 04A



LP - 04B



LP - 04C



LP - 04D

100 sq.ft = 260 pcs
Height = 40/60/80/100 mm

Damru / Euphratus



LP - 05A



LP - 05B



LP - 05C

100 sq.ft = 256 pcs
Height = 40/60/80/100 mm

3D Dimond / Kajukatri



LP - 06A



LP - 06B

100 sq.ft = 255 pcs
Height = 60 mm

Camel Hump / Double – D



LP – 07A

LP – 07B

100 sq.ft = 204 pcs
Height = 60 mm

Tourus / Olympia



LP – 08A

LP – 08B

LP – 08C

LP – 08D

100 sq.ft = 187 pcs
Height = 40/60 mm


Star



LP - 09A




LP - 09B



LP - 09C



LP - 09D



LP - 09E

100 sq.ft = 196 pcs
Height = 60/80 mm


Brook / Oxford



LP - 010A



LP - 010B



LP - 010C

100 sq.ft = 196 pcs
Height = 40/60/80 mm

Big brook



LP - 011A

100 sq.ft = 196 pcs
Height = 60/80 mm

Vajra



LP - 012A

100 sq.ft = 196 pcs
Height = 40/60 mm

Hexagon




LP - 013A



LP - 013B

100 sq.ft = 288 pcs
Height = 60 mm

V Shape / Arrow



LP - 014A

100 sq.ft = 300 pcs
Height = 60 mm

L - shape



LP - 015A


100 sq.ft = 196 pcs
Height = 40/60 mm

Arch paver



LP - 016A

100 sq.ft = 276 pcs
Height = 60 mm



LP - 016B

TRIHEX



LP - 017A

100 sq.ft = 247 pcs
Height = 60/80 mm

Flower



LP - 018A

100 sq.ft = 220 pcs
Height = 60 mm



LP - 018B

Splendour



LP - 019A

100 sq.ft = 142 pcs
Height = 60 mm

Kamal



LP - 020A

100 sq.ft = 220 pcs
Height = 60 mm

Monarc



LP - 021A

100 sq.ft = 250 pcs
Height = 60 mm



LP - 021B

100 sq.ft = 209 pcs
Height = 60 mm

Zigma



LP - 022A


Plus



LP - 023A

100 sq.ft = 275 pcs
Height = 60 mm

Tigris



LP - 024A

100 sq.ft = 289 pcs
Height = 60 mm

Kirtal



LP - 025A

100 sq.ft = 180 pcs
Height = 60 mm

Deltoid



LP - 026A

100 sq.ft = 150 pcs
Height = 60 mm

Left - Right



LP - 027A


100 sq.ft = 210 pcs
Height = 60 mm

CHEQUERED TILES

(300 mm x 300 mm - 25mm/30mm)



CT - 01



CT - 02




CT - 03



CT - 04



CT - 05




CT - 06



CT - 07



CT - 08




CT - 09



CT - 10



CT - 11



CT - 12



CT - 13



CT - 14



CT - 15



CT - 16



CT - 17



CT - 18



CT - 19



CT - 20




CT - 21

CHEQUERED TILES

(300 mm x 300 mm - 25mm/30mm)



CT - 22




CT - 23



CT - 24



CT - 25



CT - 26



CT - 27



CT - 28



CT - 29



CT - 30



CT - 31



CT - 32



CT - 33



CT - 34



CT - 35



CT - 36



CT - 37



CT - 38



CT - 39



CT - 40



CT - 41




CT - 42

CHEQUERED TILES

(300 mm x 300 mm - 25mm/30mm)



CT - 43



CT - 44



CT - 45



CT - 46



CT - 47



CT - 48



CT - 49



CT - 50



CT - 51



CT - 52



CT - 53



CT - 54



CT - 55



CT - 56




CT - 57



CT - 58



CT - 59




CT - 60



CT - 61



CT - 62



CT - 64

CHEQUERED TILES

(300 mm x 300 mm - 25mm/30mm)



CT - 65




CT - 66



CT - 67



CT - 68



CT - 69



CT - 70



CT - 71



CT - 72



CT - 73



CT - 74



CT - 75



CT - 76



CT - 78



CT - 79



CT - 80



CT - 81



CT - 82

CHEQUERED TILES

(400 mm x 400 mm - 30mm/35mm)



CT - 201



CT - 202




CT - 203



CT - 204



CT - 205



CT - 206



CT - 207



CT - 208



CT - 209



CT - 210




CT - 211



CT - 212

CHEQUERED TILES


(250 mm x 250 mm - 25mm)




CT - 301



CT - 302



CT - 303



CT - 304



CT - 305




CT - 306



CT - 307



CT - 308



CT - 309




CT - 310




CT - 311



CT - 312



CT - 313



CT - 314

Kerb Stones



Item No : KB1

Available Sizes	Designs
200 * 200 * 35/60mm	Half Round
300 * 200 * 60/80/100mm	Half Round
200 * 300 * 60/80/100mm	Half Round
300 * 300 * 60/80/100/150mm	Half Round
450 * 300 * 60/80/100/150mm	Half Round
400 * 300 * 80/100/150mm	Half Round

Item No : KB2

Available Sizes	Designs
200 * 200 * 35/60mm	Chamfered
300 * 200 * 60/80/100mm	Chamfered
200 * 300 * 60/80/100mm	Chamfered
300 * 300 * 60/80/100/150mm	Chamfered
450 * 300 * 80/100/125/150mm	Chamfered
300 * 450 * 80/100/125/150mm	Chamfered
450 * 450 * 80/100/150mm	Chamfered

GRASS PAVER



Item No	Size	Height	Item No	Size	Height
GP 1	300 * 300	60 / 80 mm	GP 5	250 * 250	60 / 80 mm
GP 2	250 * 250	60 / 80 mm	GP 6	200 * 200	60 / 80 mm
GP 3	300 * 300	60 mm	GP 7	225 * 300	60 mm
GP 4	400 * 400	60 / 80 mm	GP 8	400 * 300	60 / 80 mm

COVER BLOCK



Areas: 100 pc per 100 sq.ft	Item No: CB1
Size	Cavity
20 * 25	49



Areas: 100 pc per 100 sq.ft	Item No: CB2
Size	Cavity
20 * 25 * 30	49



Areas: 100 pc per 100 sq.ft		Item No: CB3
Size	Cavity	
25	16	
30	16	
40	7	
50	7	
75	4	



Areas: 100 pc per 100 sq.ft		Item No: CB4
Size	Cavity	
20 * 25 * 40 * 50	30	



Areas: 100 pc per 100 sq.ft	Item No: CB5
Size	Cavity
20 * 25 * 40 * 50	42



Areas: 100 pc per 100 sq.ft	Item No: CB6
Size	Cavity
20 * 25 * 30 * 40 * 50	42

Square-Brick Paver



Specification: Area: 900 pc per 100 sq.ft		
Item No	Surfaces	Available Sizes
B1	Etching	4 * 4 * 60 / 80 / 100 mm (Four Cavity) 100 * 100 * 60 / 80 / 100 mm
B2	Designer	
B3	Stone	
B4	Shotblast	

Specification: Area: 450 pc per 100 sq.ft		
Item No	Surfaces	Available Sizes
B5	Designer	8 * 4 * 60 / 80 mm (Double Cavity) 100 * 200 * 60 / 80 mm
B6	Shotblast	
B7	Curve Corner Shotblast	





Specification:	Area: 576 pc per 100 sq.ft	
Item No	Surfaces	Available Sizes
B8	Vermaticular, Shotblast & Etching, Round Corners , Double cavity	5 * 5 * 60 mm 125 * 125 * 60 mm

Specification:	Area: 288 pc per 100 sq.ft	
Item No	Surfaces	Available Sizes
B9	Vermaticular, Shotblast	5 * 10 * 60 / 80 mm 125 * 250 * 60 /80 mm
B10	Etching Round Corners	





Specification: Area: 400 pc per 100 sq.ft		
Item No	Surfaces	Available Sizes
B11	Stone	6 * 6 * 60 / 80 mm (Double Cavity)
B12	Shotblast	150 * 150 * 60 / 80 mm

Specification: Area: 225 pc per 100 sq.ft		
Item No	Surfaces	Available Sizes
B13	Stone	8 * 8 * 60 / 80 / 100 mm 200 * 200 * 60 / 80 / 100 mm
B14	4 Square	
B15	Vermaticular	
B16	Designer	
B17	Round Corners	
B18	Shotblast	





Specification :		Area: 200 pc per 100 sq.ft
Item No	Surfaces	Available Sizes
B19	Wood Finish	6 * 12 * 60 / 80 mm
B20	Shotblast	150 * 300 * 60 / 80 mm

Specification:		Area: 144 pc per 100 sq.ft
Item No	Surfaces	Available Sizes
B22	Etching	10 * 10 * 60 mm
B23	Shotblast	250 * 250 * 60 mm
B24	Stone Effect	





B25

Specification:	Area:	
Item No	Surfaces	Available Sizes
B25	Shotblast Plain	& 12 * 12 * 50/ 60 mm

Specification:	Area: 128.5 pc per 100 sq.ft	
Item No	Surfaces	Available Sizes
B26	Shotblast	14 * 8 * 60 / 80 mm
B27	Vermaticular	350 * 200 * 60 /80 mm



B26



B27

Flexi-Combo Paver



Areas: 56 pc per 100 sq.ft

Sizes

5" * 8" * 60/80mm (125mm * 200mm * 60/80mm)

7" * 8" * 60/80mm (175mm * 200mm * 60/80 mm)

9" * 8" * 60/80mm (225mm * 200mm * 60/80 mm)

11" * 8" * 60/80mm (275mm * 200mm * 60/80 mm)

Areas: 72 pc per 100 sq.ft

Sizes

5" * 5" * 60/80mm (125mm * 125mm * 60/80mm)

10" * 10" * 60/80mm (250mm * 250mm * 60/80mm)

5" * 10" * 60/80mm (125mm * 250mm * 60/80mm)





Areas: 25 pc per 100 sq.ft

Size

14" * 8" * 60mm (350mm * 200mm * 60mm)

12" * 8" * 60mm (300mm * 200mm * 60mm)

10" * 8" * 60mm (250mm * 200mm * 60mm)

8" * 8" * 60mm (200mm * 200mm * 60mm)

Areas: 75 pc per 100 sq.ft

Size

12" * 8" * 60mm (300mm * 200mm * 60mm)

8" * 8" * 60mm (200mm * 200mm * 60mm)

4" * 8" * 60mm (100mm * 200mm * 60mm)





Areas: 72 pc per 100 sq.ft

Sizes

5" * 5" * 60/80mm (125mm * 125mm * 60/80mm)

10" * 10" * 60/80mm (250mm * 250mm * 60/80mm)

5" * 10" * 60/80mm (125mm * 250mm * 60/80mm)

Areas: 50 pc per 100 sq.ft

Size

4" * 8" * 60/80mm (100mm * 200mm * 60/80mm)

5" * 8" * 60/80mm (125mm * 200mm * 60/80mm)

7" * 8" * 60/80mm (175mm * 200mm * 60/80 mm)

9" * 8" * 60/80mm (225mm * 200mm * 60/80 mm)

11" * 8" * 60/80mm (275mm * 200mm * 60/80 mm)





Areas: 112.5 pc per 100 sq.ft

Size

4" * 4" * 60/80mm (100mm * 100mm * 60/80mm)

8" * 8" * 60/80mm (200mm * 200mm * 60/80mm)

4" * 8" * 60/80mm (100mm * 200mm * 60/80mm)



Areas: 100 pc per 100 sq.ft



Size

6" * 6" * 60/80mm (150mm * 150mm * 60/80mm)

6" * 12" * 60/80mm (150mm * 300mm * 60/80mm)







Concrete Hardener:

Landmark Polymers recommends the use of concrete hardeners in the paving manufacturing process to accelerate setting time. When admixed with concrete and mortar along with water the concrete hardener accelerates the setting time of the concrete and mortar and helps in achieving high early strength. This product is of use in shot-creting and guniting and in concreting and rendering in cold climatic conditions. Paver industry can highly benefit from the use of this product as it helps in early de-moulding and early shifting of the paver blocks to site saving enormous amount of space utilized in conventional curing and its strength development.



Colours And Chemicals

Color Oxide:

The strength of ideal paving blocks is their varieties in shapes, sizes and of colours. The many colours of paving blocks are achieved using the various color oxides that are used in the manufacturing process. The color oxides introduced by Landmark Polymers are the results of years of research and development. They are the ideal fit for our products and they ensure maximum life on the color of the concrete paver blocks manufactured. Over and above the life of the color, it also ensures stronger resistance to wear and tear and combined with the glazing technology of Landmark Moulds, the products remain ever radiant.



Acrylic Lacquer / Clear Polish:

It's applied on the surface of Pavers to impart a decorative finish and colourful look. This is a high gloss, best quality Lacquer coating which provides more coverage area and gives more shine to the surface of Pavers. It can be applied on Cement Concrete Block, Paver Block, and Decorative Tiles and like items.



Machinery For Paver Blocks

Concrete Mixture



Pan Mixture



Vibration Table










Fully Automatic Vibro Press



Technical Data

Over Dimensions	4850*4650*2250(mm)
Pallet Size (mm)	850*550*25(Bamboo)
machine Weight	4000kg
The Frequency of vibrate	50 - 90 Hz
Max Excitation Force	50KN
Cycle Time(s)	15-20S
Installed Capacity(kw)	21KW

Production Capacity

SPEC.	Block	Block	Rectangular	I Shape	S Paver	Porous Brick	SolidBrick
	390*190*190	390*100*190	200*100*60	200*165*60	225*112.5*60	240*115*90	240*115*53
Code							
Pcs/Pallet	4	8	14	8	12	12	24
Pcs/Hour	720	1440	2520	1440	2160	2160	4320
Pcs/8 Hour	5760	11520	20160	11520	17280	17280	34560
Year(300day)	24328m ³	25600m ³	120960m ²	114000m ²	131800m ²	5184000Pcs	10368000Pcs

Manufacturer And Exporter Of Premium Quality Rubberised PVC Paver Moulds



LANDMARK POLYMERS



+91 9316218922



+91 8200332689



landmarkpolymers@gmail.Com



136, Ghaludi Chowkdi, Behind Bio Diesel Pump, Hazira To Pardi Road, Antroli, Surat - 394150, Gujrat, India

www.landmarkpolymers.com